

90cm Stainless steel canopy rangehood with maximum airflow of 745m³/h, electronic touch control and delay off function.



Product Details

FEATURES

Max airflow of 745m³/h

Operation noise as low as
53dB(A)

3 speeds

Delay off function

Dishwasher safe filters

Multi-layer filters

Filter clean reminder

BENEFITS

Maximise your airflow

Remove odours and vapours quickly and efficiently with a high airflow rate of 745m³/h

Keep the noise down

With noise levels as low as 53dB(A), keep the conversation going smoothly when entertaining guests.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs) 2

Type of Rangehood wall mounted canopy

Nominal width (cm) 900

Finish of Rangehood stainless steel with black glass panel

DIMENSIONS

Total product height (mm) 1200

Total product width (mm) 900

Total product depth (mm) 500

MOTOR/FAN

Number of fans 1

Number of fans speeds 3

Auto off Yes

Type of motor centrifugal

Perimeter extraction No

Auto fan timer Yes

Maximum airflow M3/Hr 745

Noise level dB high 67

Noise level dB low 53

POWER

Connection plug 7.5

DIMENSIONS

Diameter of ducting (mm) 150

Minimum installation height
from cooking surface Gas
(mm) 650

Minimum installation height
from cooking surface
Electric (mm) 650

Maximum canopy chimney
height (mm) 1200

Flue cover depth (mm) 290

Flue cover width (mm) 320

Telescopic flue Yes

CONTROLS

Control panel electronic touch

Safety/ display indicators auto thermal cutout safety
switch,clean filter indicator

LED speed display Yes

LIGHTS

FILTERS

Number of filters 3

Type of filter multilayer aluminum
micromesh filters

Dishwasher safe Yes

DUCTING / RECIRCULATION

LIGHTS

Number of lights	2
------------------	---

Wattage of light	50
------------------	----

Type of light	halogen
---------------	---------

DUCTING / RECIRCULATION

Ducting	optional accessory
---------	--------------------

Top or rear duct hole	top
-----------------------	-----

Recirculation option	Yes
----------------------	-----

Recirculation kit	optional accessory
-------------------	--------------------

Optional extension flue	Yes
-------------------------	-----

Model number of extension flue	AR610FS
--------------------------------	---------

Length of extension flue	1200
--------------------------	------

Ducting accessory available	Yes
-----------------------------	-----

Type of filter	Carbon
----------------	--------

Filter	AR610CF
--------	---------

Number of optional filters required	two
-------------------------------------	-----

Ducting diameter (mm)	150
-----------------------	-----

SHIPPING

Shipping Volume (m3)	0.20
----------------------	------

STUFFING QUANTITIES

20ft	134
------	-----

SHIPPING


Shipping Weight (Kg)	20.9
Pack Dimensions Height (mm)	980
Pack Dimension Width (mm)	350
Pack Dimension Depth (mm)	570
Total shelf area (m ²)	19.95

STUFFING QUANTITIES

40ft	279
40ft HC	326

Dimensions

Model:
ERC9025SD



Note: The fan housing air outlet is 150mm in diameter.

*Unless specified in rangehood installation details.

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz